



# SURE WASH

MILD PLATE AND PRESS WASH

MSDS ID: J5117-031

H R A T I N G	Health	1
	Fire	2
	Reactivity	0
	Personal Protection	B

MANUFACTURED BY:  
TEL (414)258-0911 (800)558-0747  
FAX (414)258-7908  
EMERGENCY (CHEMTREC) (800)424-9300

RBP CHEMICAL TECHNOLOGY, INC.  
150 SOUTH 118th STREET  
P.O. BOX 14069  
MILWAUKEE, WI 53214-0069

Rev. Date: 8/1/2004

## HAZARDOUS INGREDIENTS

NAME	CAS#	TLV	STEL	%
MEDIUM ALIPHATIC SOLVENT NAPHTHA	64742-88-7	100 ppm	200 ppm	60-100

## PHYSICAL/CHEMICAL CHARACTERISTICS

**Boiling Point:** nd  
**Solubility in Water:** Insoluble  
**pH:** nd  
**Appearance and Odor:** Clear, light blue liquid with pleasant odor.

**Density:** 6.6 lbs/gal, 0.79 gm/ml,  
**VOC by EPA Method 24:** 100%, 6.6 lbs/gal, 793 gm/L  
**VOC Vapor Pressure:** 0.5 mm Hg @ 20°C

## FIRE AND EXPLOSION HAZARD DATA

**Flash Point:** 144 °F (TCC)      **Extinguishing Media:** CO2, dry chemical, foam

### Special Fire Fighting Procedures:

As in any fire involving chemicals, self contained breathing apparatus and protective clothing should be worn.

### Unusual Fire and Explosion Hazards:

None

## REACTIVITY DATA

**Stability:** Stable

**Incompatibility:** Strong oxidizers

**Hazardous Decomposition Byproducts:** Carbon dioxide/monoxide

**Hazardous Polymerization:** Will not occur.

**Conditions to Avoid:** Heat, sparks and open flames.

## HEALTH HAZARD DATA

**Routes of Entry:**      **Inhalation:** Primary      **Skin:** Secondary      **Ingestion:** Unlikely

### Health Hazards Acute and Chronic:

Chronic inhalation of high concentrations may cause respiratory tract irritation and may affect central nervous system. May cause skin irritation. Chronic overexposure to many petroleum hydrocarbons may cause liver or kidney injury. May cause eye irritation.

**Carcinogenicity:**

None

**Emergency and First Aid Procedures:**

Eye Contact: Flush eyes with water for at least 15 minutes. Consult a physician.

Skin Contact: Wash affected area with soap and water. Remove contaminated clothing.

Inhalation: Remove to fresh air. Restore breathing if required. Get medical attention.

Ingestion: Give two glasses of water, or preferably milk. DO NOT INDUCE VOMITING. Get medical attention.

**Signs and Symptoms of Overexposure:**

Headache, dizziness, nausea, irritation of the mucous membranes, respiratory tract irritation or mild narcosis at high concentrations.

**Medical Condition Aggravated by Exposure:**

May aggravate an existing dermatitis.

**PRECAUTIONS FOR USE AND DISPOSAL****Spills:**

Small spills: Soak up with suitable absorbent. Large spills: Dike spill and pump to salvage tank.

**Waste Disposal:**

Incineration or absorbent disposal according to local, state or federal regulations.

**Special Storage/ Handling Precautions:**

None

**CONTROL MEASURES****Respiratory Protection:** Organic vapor respirator for concentrations above the TLV.**Ventilation:** Local  Mechanical  Special **Eye Protection:** Recommended**Gloves:** Recommended, butyl, rubber, or neoprene**Other:** An eye fountain should be located in any work place when working with chemicals.**REGULATORY INFORMATION****Constituents which may require SARA Title III Section 313 reporting:** None**DOT Ground Shipping Description:** NOT RESTRICTED**Hazardous by Air:** No

This MSDS prepared under the direction of: Wayne Koontz, Safety Director 10/5/87

Revised: 6/1/2004 MM

Rev. Code: 03I Date Printed 6/1/2004

The information contained herein is furnished without warranty of any kind. Users should consider this data a supplement to other information gathered by them and are responsible for completeness of information to assure proper use of these materials and the safety and health of their employees.